

DUCT TEMPERATURE SENSOR TEK PT 1000

TEK PT 1000 temperature sensor is designed for automatic ventilating systems to detect duct temperature.

Temperature is detected by a Pt1000 sensor element with a nominal resistance of 1000 Ω /0 °C.

The screw cover and the terminal blocks tilted to 45° make an easy installation.

Housing is made of heat resistant plastic.

Sensor is mounted to the duct by means of an adjustable duct connection flange for optimal temperature detection.

Installation depth can be adjusted between ca 100...220 mm.



Technical data:

 Sensor
 Pt1000 EN 60751/B

 Stem
 Ø 8 mm x 220 mm

Duct connection flange

Housing plastic (< 120 °C)

Prot. class IP 54,

cable entry or stem down able entry M16

Cable entry M16 Range -50...70 °C Accuracy ± 0.3 °C (at 0 °C)

Temperature/Resistance:

| °C | PT 1000 Ω | °C | PT 1000 Ω |
|-----|-----------|-----|-----------|
| 120 | 1460.6 | 25 | 1097.3 |
| 100 | 1385.0 | 20 | 1077.9 |
| 90 | 1347.0 | 15 | 1058.5 |
| 80 | 1308.9 | 10 | 1039.0 |
| 75 | 1289.8 | 5 | 1019.5 |
| 70 | 1270.7 | 0 | 1000.0 |
| 65 | 1251.6 | -5 | 980.4 |
| 60 | 1232.4 | -10 | 960.9 |
| 55 | 1213.2 | -15 | 941.2 |
| 50 | 1194.0 | -20 | 921.6 |
| 45 | 1174.7 | -25 | 901.9 |
| 40 | 1155.4 | -30 | 882.2 |
| 35 | 1136.1 | -40 | 842.7 |
| 30 | 1116.7 | -50 | 803.1 |
| | | | |

Ordering guide:

ModelProduct numberTEK PT 10001174040

Description

duct temperature sensor 1000 ohm / 0 °C

Products fulfil the requirements of directive 2004/108/EY and are in accordance with the standards EN61000-6-3: 2001 (Emission) and EN61000-6-2: 2001 (Immunity).